

### Fast IGBT in NPT-technology

- 75% lower *E*<sub>off</sub> compared to previous generation combined with low conduction losses
- Short circuit withstand time 10  $\mu$ s
- Designed for:
  - Motor controls
  - Inverter
- NPT-Technology for 600V applications offers:
  - very tight parameter distribution
  - high ruggedness, temperature stable behaviour
     parallel switching capability
- Pb-free lead plating; RoHS compliant
- Qualified according to JEDEC<sup>2</sup> for target applications
- Complete product spectrum and PSpice Models : http://www.infineon.com/igbt/


Туре	V <sub>CE</sub>	I <sub>c</sub>	V <sub>CE(sat)150°C</sub>	Tj	Marking	Package
SGP04N60	600V	4A	2.3V	150°C	G04N60	PG-TO-220-3-1
SGD04N60	600V	4A	2.3V	150°C	G04N60	PG-TO-252-3-11

#### Maximum Ratings

Parameter	Symbol	Value	Unit
Collector-emitter voltage	V <sub>CE</sub>	600	V
DC collector current	I <sub>C</sub>		А
$T_{\rm C}$ = 25°C		9.4	
$T_{\rm C}$ = 100°C		4.9	
Pulsed collector current, $t_p$ limited by $T_{jmax}$	I <sub>Cpuls</sub>	19	
Turn off safe operating area	-	19	
$V_{CE} \le 600 \text{V}, \ T_{j} \le 150^{\circ} \text{C}$			
Gate-emitter voltage	V <sub>GE</sub>	±20	V
Avalanche energy, single pulse	E <sub>AS</sub>	25	mJ
$I_{\rm C}$ = 4 A, $V_{\rm CC}$ = 50 V, $R_{\rm GE}$ = 25 $\Omega$ ,			
start at $T_j = 25^{\circ}C$			
Short circuit withstand time <sup>1)</sup>	t <sub>sc</sub>	10	μs
$V_{\text{GE}}$ = 15V, $V_{\text{CC}} \le 600$ V, $T_{j} \le 150^{\circ}$ C			
Power dissipation	P <sub>tot</sub>	50	W
$T_{\rm C}$ = 25°C			
Operating junction and storage temperature	$T_{\rm j}$ , $T_{\rm stg}$	-55+150	°C
Soldering temperature, PG-TO-252: (reflow soldering, MSL3) Others: wavesoldering, 1.6mm (0.063 in.) from case for 10s	T <sub>s</sub>	260 260	

<sup>2</sup> J-STD-020 and JESD-022

<sup>1)</sup> Allowed number of short circuits: <1000; time between short circuits: >1s.





#### **Thermal Resistance**

Parameter	Symbol	Conditions	Max. Value	Unit
Characteristic				•
IGBT thermal resistance,	$R_{ m thJC}$		2.5	K/W
junction – case				
Thermal resistance,	$R_{ m thJA}$	PG-TO-220-3-1	62	
junction – ambient				
SMD version, device on PCB <sup>1)</sup>	$R_{ m thJA}$	PG-TO-252-3-1	50	

### **Electrical Characteristic,** at $T_i$ = 25 °C, unless otherwise specified

Parameter	Symbol	Conditions		Value		Unit
Parameter	Symbol	Conditions	min.	Тур.	max.	
Static Characteristic	·					
Collector-emitter breakdown voltage	V <sub>(BR)CES</sub>	$V_{\rm GE}$ =0V, $I_{\rm C}$ =500 $\mu$ A	600	-	-	V
Collector-emitter saturation voltage	V <sub>CE(sat)</sub>	$V_{\rm GE}$ = 15V, $I_{\rm C}$ =4A				
		T <sub>j</sub> =25°C	1.7	2.0	2.4	
		<i>T</i> <sub>j</sub> =150°C	-	2.3	2.8	
Gate-emitter threshold voltage	V <sub>GE(th)</sub>	$I_{\rm C} = 200 \mu {\rm A}, V_{\rm CE} = V_{\rm GE}$	3	4	5	
Zero gate voltage collector current	ICES	$V_{\rm CE}$ =600V, $V_{\rm GE}$ =0V				μA
		<i>T</i> <sub>j</sub> =25°C	-	-	20	
		<i>T</i> <sub>j</sub> =150°C	-	-	500	
Gate-emitter leakage current	I <sub>GES</sub>	$V_{\rm CE} = 0  V, V_{\rm GE} = 20  V$	-	-	100	nA
Transconductance	<b>g</b> <sub>fs</sub>	$V_{\rm CE}$ =20V, $I_{\rm C}$ =4A		3.1	-	S
Dynamic Characteristic						
Input capacitance	Ciss	V <sub>CE</sub> =25V,	-	264	317	pF
Output capacitance	Coss	V <sub>GE</sub> =0V,	-	29	35	
Reverse transfer capacitance	Crss	f=1MHz	-	17	20	
Gate charge	Q <sub>Gate</sub>	V <sub>CC</sub> =480V, <i>I</i> <sub>C</sub> =4A	-	24	31	nC
		V <sub>GE</sub> =15V				
Internal emitter inductance	L <sub>E</sub>		-	7	-	nH
measured 5mm (0.197 in.) from case						
Short circuit collector current <sup>2)</sup>	I <sub>C(SC)</sub>	$V_{GE}$ =15V, $t_{SC}$ ≤10µs $V_{CC}$ ≤ 600V, $T_j$ ≤ 150°C	-	40	-	A

<sup>1)</sup> Device on 50mm\*50mm\*1.5mm epoxy PCB FR4 with 6cm<sup>2</sup> (one layer, 70μm thick) copper area for collector connection. PCB is vertical without blown air.
 <sup>2)</sup> Allowed number of short circuits: <1000; time between short circuits: >1s.



### Switching Characteristic, Inductive Load, at $T_i$ =25 °C


Parameter	Symbol	Conditions		Value		Linit
Farameter	Symbol	Conditions	min.	typ.	max.	Unit
IGBT Characteristic		·				
Turn-on delay time	t <sub>d(on)</sub>	<i>T</i> <sub>j</sub> =25°C,	-	22	26	ns
Rise time	t <sub>r</sub>	V <sub>CC</sub> =400V,I <sub>C</sub> =4A, V <sub>GE</sub> =0/15V,	-	15	18	
Turn-off delay time	$t_{d(off)}$	$R_{\rm G}$ =67 $\Omega$ ,	-	237	284	
Fall time	t <sub>f</sub>	$L_{\sigma^{(1)}} = 180 \text{ nH},$	-	70	84	
Turn-on energy	Eon	$C_{\sigma}^{(1)} = 180 \text{ pF}$ Energy losses include	-	0.070	0.081	mJ
Turn-off energy	E <sub>off</sub>	"tail" and diode	-	0.061	0.079	
Total switching energy	E <sub>ts</sub>	reverse recovery.	-	0.131	0.160	

### Switching Characteristic, Inductive Load, at $T_i$ =150 °C


Parameter	Symbol	Conditions		Value		
Parameter	Symbol	Conditions	min.	typ.	max.	Unit
IGBT Characteristic						
Turn-on delay time	t <sub>d(on)</sub>	<i>T</i> <sub>j</sub> =150°C	-	22	26	ns
Rise time	t <sub>r</sub>	V <sub>CC</sub> =400V, <i>I</i> <sub>C</sub> =4A, V <sub>GE</sub> =0/15V,	-	16	19	
Turn-off delay time	$t_{d(off)}$	$R_{\rm G}$ =67 $\Omega$ ,	-	264	317	
Fall time	t <sub>f</sub>	$L_{\sigma_{1}}^{(1)} = 180 \text{ nH},$	-	104	125	1
Turn-on energy	Eon	$C_{\sigma}^{(1)} = 180 \text{ pF}$ Energy losses include	-	0.115	0.132	mJ
Turn-off energy	E <sub>off</sub>	"tail" and diode	-	0.111	0.144	1
Total switching energy	E <sub>ts</sub>	reverse recovery.	-	0.226	0.277	1

<sup>1)</sup> Leakage inductance  $L_{\sigma}$  and Stray capacity  $C_{\sigma}$  due to dynamic test circuit in Figure E.











 $(V_{\rm GE} = 15V)$ 







6

Figure 11. Typical switching times as a


(inductive load,  $V_{CE}$  = 400V,  $V_{GE}$  = 0/+15V,

function of junction temperature


Dynamic test circuit in Figure E)

 $I_{\rm C}$  = 4A,  $R_{\rm G}$  = 67 $\Omega$ ,




















MIN         MAX         MIN         MAX           A         4.30         4.57         0.169         0.180           A1         1.17         1.40         0.046         0.055           A2         2.15         2.72         0.085         0.107           b         0.65         0.86         0.026         0.034           b1         0.95         1.40         0.037         0.055           b2         0.96         1.15         0.037         0.045           b3         0.65         1.15         0.026         0.045           c         0.33         0.60         0.013         0.024           D         14.81         15.95         0.583         0.628           D1         8.51         9.45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.408           E1         6.50         8.60         0.256         0.339           e         2.54         0.100         0.200         N           N         3         3         3         3           H1 </th <th>Dill</th> <th>MILLIN</th> <th>ETERS</th> <th>INCH</th> <th>ES</th>	Dill	MILLIN	ETERS	INCH	ES	
A1         1.17         1.40         0.046         0.055           A2         2.15         2.72         0.085         0.107           b         0.65         0.86         0.026         0.034           b1         0.95         1.40         0.037         0.055           b2         0.95         1.15         0.037         0.045           b3         0.65         1.15         0.026         0.045           c         0.33         0.60         0.013         0.024           D         14.81         15.95         0.583         0.628           D1         8.51         9.45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.408           E1         6.50         8.60         0.256         0.339           e         2.54         0.100         0.200         0.100           N         3         3         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551	DIM	MIN	MAX	MIN	MAX	
A2         2.15         2.72         0.085         0.107           b         0.65         0.86         0.026         0.034           b1         0.95         1.40         0.037         0.055           b2         0.95         1.15         0.037         0.045           b3         0.65         1.15         0.026         0.045           c         0.33         0.60         0.013         0.024           D         14.81         15.95         0.583         0.628           D1         8.51         9.45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.408           E1         6.50         8.60         0.256         0.339           e         2.54         0.100         0.200         0           N         3         3         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189	A	4.30	4.57	0.169	0,180	
b         0,65         0,86         0,026         0,034           b1         0.95         1.40         0.037         0.055           b2         0,95         1.15         0.037         0.045           b3         0.65         1.15         0.026         0.045           c         0.33         0.60         0.013         0.024           D         14.81         15.95         0.583         0.628           D1         8,51         9.45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.408           E1         6,50         8,60         0.256         0.339           e         2.54         0.100         0.400         0.516           K1         5.90         6.90         0.2232         0.272           N         3         3         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189	A1	1.17	1.40	0.046	0.055	
b1         0.95         1.40         0.037         0.055           b2         0.95         1.15         0.037         0.045           b3         0.65         1.15         0.026         0.045           c         0.33         0.60         0.013         0.024           D         14.81         15.95         0.583         0.628           D1         8.51         9.45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.408           E1         6.50         8.60         0.256         0.339           e         2.54         0.100         0.200         0.200           N         3         3         3         1         1           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	A2	2.15	2.72	0,085	0,107	
b2         0.96         1.15         0.037         0.045           b3         0.66         1.15         0.026         0.045           c         0.33         0.60         0.013         0.024           D         14.81         15.95         0.583         0.628           D1         8.51         9.45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.408           E1         6.50         8.60         0.256         0.339           e         2.54         0.100         0.100           e1         5.08         0.200         0.200           N         3         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	ь	0,65	0,86	0,026	0,034	
b3         0.65         1.15         0.026         0.045           c         0.33         0.60         0.013         0.024           D         14.81         15.95         0.583         0.628           D1         8.51         9.45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.408           E1         6,50         8,60         0.256         0.339           e         2.54         0.100         0.100           e1         5.08         0.200         N         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	ь1	0.95	1.40	0.037	0.055	
c         0.33         0.60         0.013         0.024           D         14.81         15.95         0.583         0.628           D1         8.51         9.45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.408           E1         6,50         8,60         0.256         0.339           e         2.54         0.100         0.100           e1         5.08         0.200         0.200           N         3         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	b2	0,95	1.15	0,037	0,045	
D         14.81         15.95         0.583         0.628           D1         8,51         9,45         0.335         0.372           D2         12.19         13.10         0.480         0.516           E         9,70         10.36         0.302         0.408           E1         6,50         8,60         0.256         0,339           e         2.54         0.100           e1         5.08         0.200         N           N         3         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	ьз	0,65	1.15	0.026	0.045	
D1         8,51         9,45         0,335         0,372           D2         12.19         13.10         0.480         0.516           E         9,70         10.36         0,382         0,408           E1         6,50         8,60         0,256         0,339           e         2.54         0.100         0.200           N         3         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0,189           aP         3.60         3.89         0.142         0.153	c	0.33	0.60	0.013	0.024	
D2         12.19         13.10         0.480         0.516           E         9.70         10.36         0.382         0.406           E1         6,50         8,60         0.256         0.339           e         2.54         0.100           e1         5.08         0.200           N         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	D	14.81	15.95	0.583	0.628	
E         9.70         10.36         0.382         0.408           E1         6,50         8,60         0.256         0,339           e         2.54         0.100           e1         5.08         0.200           N         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	D1	8,51	9,45	0,335	0,372	
E1         6,50         8,60         0,256         0,339           e         2.54         0.100           e1         5.08         0.200           N         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0,189           aP         3.60         3.89         0.142         0.153	D2	12.19	13.10	0.480	0.516	
e         2.54         0.100           e1         5.08         0.200           N         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	E	9.70	10.36	0.382	0,408	
e1         5.08         0.200           N         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	E1	6,50	8,60	0,256	0,339	
N         3         3           H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0,189           aP         3.60         3.89         0.142         0.153	e	2	54	0.100		
H1         5.90         6.90         0.232         0.272           L         13.00         14.00         0.512         0.551           L1         -         4.80         -         0.189           aP         3.60         3.89         0.142         0.153	e1	5.	08	0.2	00	
L 13.00 14.00 0.512 0.551 L1 - 4.80 - 0.189 aP 3.60 3.89 0.142 0.153	N		3		3	
L1 - 4.80 - 0.189 @P 3.60 3.89 0.142 0.153	H1	5.90	6.90	0.232	0.272	
eP 3.60 3.89 0.142 0.153	L	13.00	14.00	0.512	0.551	
	L1	-	4.80	-	0,189	
Q 2.60 3.00 0.102 0.118	eP	3.60	3.89	0.142	0.153	
	Q	2.60	3.00	0.102	0,118	






P-TO252-3-11








DM	MILLIN	ETERS	INC	-ES
UNIN	MIN	MAX	MIN	MAX
A	2.184	2.388	D.068	0.094
A1	0.000	0.150	0.000	0.006
ь	0.835	0.889	0.025	0.035
p3	0.650	1.150	0.025	0.045
b3	5.004	5.500	0.197	0.217
0	0,480	0.580	0.018	0.023
62	0,460	0.960	0.018	0.039
D	5.969	6.223	0.235	0.245
D1	5.020	5.320	D.198	0.209
E	6.400	6.734	0.252	0.265
E1	4.900	5.100	D.193	0.201
	2.2	86	0.0	190
e1	4,5	72	0.1	183-
N	3	;		3
н	9,400	10.094	0.370	0.397
L3	0.900	1,118	0.095	0.044
L4	0.650	1.018	0.025	0.040
LG	0.510	0.685	0.029	0.027
P1	10.500	10.700	0.413	0,421
F2	6.300	6.500	0.248	0.256
F3	2.900	2.300	0.063	0.091
F4	5.700	5.900	0.224	0.232
FS .	5,660	5.860	D.222	0.231
F6	1.100	1.300	D.D43	0.051





**Figure E. Dynamic test circuit** Leakage inductance  $L_{\sigma}$  =180nH and Stray capacity  $C_{\sigma}$  =180pF.

Published by Infineon Technologies AG,



#### Edition 2006-01

#### Published by Infineon Technologies AG 81726 München, Germany

© Infineon Technologies AG 9/12/07. All Rights Reserved.

#### Attention please!

The information given in this data sheet shall in no event be regarded as a guarantee of conditions or characteristics ("Beschaffenheitsgarantie"). With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation warranties of non-infringement of intellectual property rights of any third party.

#### Information

For further information on technology, delivery terms and conditions and prices please contact your nearest Infineon Technologies Office (**www.infineon.com**).

#### Warnings

Due to technical requirements components may contain dangerous substances. For information on the types in question please contact your nearest Infineon Technologies Office.

Infineon Technologies Components may only be used in life-support devices or systems with the express written approval of Infineon Technologies, if a failure of such components can reasonably be expected to cause the failure of that life-support device or system, or to affect the safety or effectiveness of that device or system. Life support devices or systems are intended to be implanted in the human body, or to support and/or maintain and sustain and/or protect human life. If they fail, it is reasonable to assume that the health of the user or other persons may be endangered.